

THE CROP PROTECTOR
FUJIAKA
SOLIDITY, RELIABILITY & BEYOND



PRODUCT CATALOGUE



About Us

In India, in spite of the large-scale mechanisation of agriculture in some parts of the country, most of the agricultural operations in larger parts are carried on by human hand using simple and conventional tools and implements like wooden plough, sickle, buckets for spraying of insecticides, biocides etc. Little or no use of machines is made in ploughing, sowing, irrigating, thinning, weeding, harvesting, spraying, threshing and transporting the crops. This is specially the case with small and marginal farmers. It results in huge wastage of human labour and results in low yields per capita labour force.

Therefore, we believe that there is an urgent need to mechanise the agricultural operations so that wastage of labour force is avoided, and farming is made convenient and efficient. We at 'Fujiaka', strive to provide those agricultural implements and machinery which act as a crucial input for efficient and timely agricultural operations, facilitating multiple cropping and thereby increasing production. We scout for the best technologies from across the globe and develop products in-house which are tailor made for the needs of the average Indian farmer and create avenues for those products to be accessible from any part of the country.

Here at 'Fujiaka', we produce agricultural equipment's for the average Indian farmer, together with our partners in South Korea and on-ground feedback from India we have been able to provide unparalleled quality of products at the best possible prices for the past ten years and we will not rest until we become the torch-bearers of our farmers' cause.

Contents

**GARDEN
HANDHELD SPRAYERS** 3



**AGRICULTURAL
KNAPSACK SPRAYERS** 5



**AGRICULTURAL
SPECIALITY SPRAYERS** 8



**AGRICULTURAL
FOGGERS & GARDEN TOOLS** 11



**HOME AND INDUSTRIAL
PEST CONTROL PRODUCTS** 15



GARDEN

HANDHELD SPRAYERS

SUITABLE FOR ALL SMALL GARDENS, NURSERIES,
CORPORATE PEST, CONTROL AND SANITIZATION NEEDS

WS/ 1.5

Capacity / Type	: 1.5 Ltr. / Hand Pump
Pressure	: Upto 0.2 MpA 30 PSI
Special Feature	: Clear Tank PR Valve
Material	: HDPE
NW. / G.W (kg)	: 0.40 0.45
Packaging	: 20 PC CTN



WS/ 360

Capacity / Type	: 2.0 Ltr. / Hand Pump
Pressure	: Upto : 0.2 MpA 30 PSI
Special Feature	: 360 - Rotating nozzle
Material	: HDPE
NW. / G.W (kg)	: 0.40 0.45
Packaging	: 15 PC CTN

WS/ 2G

Capacity / Type	: 2 Ltr. / Hand Pump
Pressure	: Upto 0.27 MpA 40 PSI
Special Feature	: Pressure Gauge Auto PR
Material	: Valve Precision Moulded HDPE
NW. / G.W (kg)	: 0.5 0.540 g
Packaging	: 15 PC CTN





Elektra

Capacity / Type	: 2.0 Ltr. / Battery Operated
Pressure	: Upto 0.27 MpA 40 PSI
Special Feature	: 360* rotating nozzle
Material	: HDPE
NW. / G.W (kg)	: 0.60 0.624 g
Packaging	: 12 PC CTN

WS/ 5

Capacity / Type	: 5 Ltr. / Hand Pump
Pressure	: Upto 0.5 MpA 80 PSI
Special Feature	: Skirt Protection Auto PR Valve
Material	: HDPE
NW. / G.W (kg)	: 1.1 1.25
Packaging	: 12 PC CTN



WS/ SIXER

Capacity / Type	: 6 Ltr. / Battery Operated
Pressure	: Upto 1.5-2 Bar 50 PSI
Special Feature	: 12 V Li-Ion Battery Skirt Protection Safety Lock
Material	: HDPE
NW. / G.W (kg)	: 1.72 2.25
Packaging	: 6 PCS CTN



AGRICULTURAL KNAPSACK SPRAYERS

SUTABLE FOR ALL YOUR CROP FIELDS. CORPORATE
PEST CONTROL AND SANITIZATION NEEDS



 MANUAL HAND
PUMP

 SLIM
BODY



भारत
ICAR
APPROVED



NS/ 16

Capacity / Type	: 16 Ltr. / Manual Operated
Pressure	: Upto 0.2 - 0.65 MPA
Special Feature	: Approved by ICAR, Bhopal
Material	: HDPE high MFI
NW. / G.W (kg)	: 20.85 3.65
Packaging	: 40 PC CTN / 39 × 19 × 57 cms

ES/ 16

Capacity / Type	: 16 Ltr. / Manual Operated
Pressure	: Upto 0.2 - 0.45 MPA
Special Feature	: Water level indication
Material	: HDPE
NW. / G.W (kg)	: 2.75 3.25
Packaging	: 04 PC CTN / 39 × 19 × 57



MANUAL
HAND PUMP 

SLIM
BODY 

WATER LEVEL
INDICATOR 



BOLT

Capacity / Type	: 16 Ltr. / Manual Operated
Pressure	: Upto 5 bar 72 PSI
Special Feature	: Lumbar Support with Telescopic Lance
Material	: HDPE high MFI
NW. / G.W (kg)	: 70 7.5
Packaging	: 02 PC CTN / 40 × 22 × 51 cms

INTELLIGENT
IC CHIP

12 V / 9AH



POWER

Capacity / Type	: 16 Ltr. / Manual Operated
Pressure	: Upto 6 bar 90 PSI
Special Feature	: Approved by ICAR, Bhopal
Material	: HDPE high MFI
NW. / G.W (kg)	: 70 7.5
Packaging	: 02 PC CTN / 39 × 21 × 54 cms

DUO

Capacity / Type	: 16 Ltr. / 2-IN-1
Pressure	: Upto 4.2 bar 65 PSI
Special Feature	: Manual + Battery Operated
Material	: HDPE high MFI
NW. / G.W (kg)	: 6.0 6.75
Packaging	: 04 PC CTN / 41 × 21 × 54

2-IN-1 MANUAL
+ BATTERY OPR

12 V / 7 AH



ECO

16L
COMPACT
DESIGN

12 V / 12 AH



Capacity / Type	: 16 Ltr. / Battery Operated
Pressure	: Upto 5 bar 72 PSI
Special Feature	: Large & Powerful Battery
Material	: HDPE high MFI
NW. / G.W (kg)	: 6.7 7.2
Packaging	: 02 PC CTN / 34 × 23 × 550 cms

NEO



Capacity / Type	: 12 Ltr. / Battery Operated
Pressure	: Upto 4.5 bar 65 PSI
Special Feature	: Light and Portable
Material	: HDPE
NW. / G.W (kg)	: 5.6 6.0
Packaging	: 02 PC CTN / 34 × 20 × 51 cms



12 LITRE TANK



COMPACT DESIGN



12 V / 8 AH

SHAKTI

Capacity / Type	: 16 Ltr. / Engine Operated
Pressure	: Upto 25 bar 355 PSI
Special Feature	: High coverage upto 10 metre
Material	: HDPE Tank and All Brass Pump
NW. / G.W (kg)	: 10.0 10.40
Packaging	: 01 PC CTN / 41 × 32 × 62 cms



26 CC 2 stroke PETROL



COMPACT DESIGN



HIGH PRESSURE



LUV

Capacity / Type	: 10 Ltr. / Electrical 220V/50Hz
Motor Power	: 1200 W Moter
Coverage	: Horizontal : 6m, Vertical : 2m
Material	: HQ HDPE
NW. / G.W (kg)	: 4.1 4.9
Packaging	: 01 PC CTN / 47 × 19 × 48 cms



ULV
SPRAYER



10 LITRE TANK



PARTICLE SIZE 0-50 μm (ADJUSTABLE)



HIGH FLOW UPTO 750 ML/MIN

AGRICULTURAL SPECIALITY SPRAYERS

SUITABLE FOR COVERAGE OF LARGE AREAS
SUCH AS CROP FIELDS, FACTORIES,
LARGE BUILDINGS



**TWO
STROKE**

Port Fu-P-768

Capacity / Type	: 100 Ltr. / HR / Engine Operated
Pressure	: Upto 27 bar 400 PSI
Special Feature	: Taiwanese Engine
Material	: Metal All Brass Pump
NW. / G.W (kg)	: 12.0 18.0 (Incl. Hose)
Packaging	: 01 PC CTN / 33 × 33 × 54 cms



PORTABLE
POWER



50 METRE
HOSE



2 STROKE
ENGINE



EASY RECOIL
STARTER



Running Time
The machine can run upto 2 hours
with 1 Litre of Petrol

**FOUR
STROKE**

Port Fu-PH-768

Capacity / Type	: 100 Ltr. / HR / Engine Operated
Pressure	: Upto 27 bar 400 PSI
Special Feature	: 4 Stroke GX-35 Engine
Material	: Metal All Brass Pump
NW. / G.W (kg)	: 12 18 (Incl. Hose)
Packaging	: 01 PC CTN / 37 × 33 × 54 cms



PORTABLE
POWER



50 METRE
HOSE



4 STROKE
ENGINE



EASY RECOIL
STARTER

**TWO
STROKE**

Myster - 3W-650

Capacity / Type	: 14 Ltr. Tank / Engine Operated
Flow Rate	: 3-8 Ltr. / minute
Engine	: 2 Stroke, 47 CC, ER Starter
Special Feature	: 3-in-1 Mister, Blower, Fogger
Material	: Metal All Brass Pump
NW. / G.W (kg)	: 11.50 12.58
Packaging	: 01 PC CTN / 51 × 38 × 65 cms

2020
**NEW
ARRIVAL**



MISTER
CUM
BLOWER



FAN
SPEED
7000 RPM



EASY
RECOIL
STARTER



Running Time
The machine can run upto 2 hours
with 1 Litre of Petrol

**TWO
STROKE**

Sumo-fu-60-T

Capacity / Type	: 60 Ltr. / Engine Operated
Pressure	: Upto 27 bar 400 PSI
Special Feature	: Trolley System
Material	: Metal All Brass Pump
NW. / G.W (kg)	: 32 36
Packaging	: 01 PC CTN /

2019
**NEW
ARRIVAL**



TROLLEY
SYSTEM



30 METRE
HOSE



2 STROKE
ENGINE



EASY RECOIL
STARTER



Running Time
The machine can run upto 2 hours
with 1 Litre of Petrol

Bugger

Can Work on Standalone Battery as it has a separate battery chamber or Can Draw Power from Backpack Sprayer Battery via included wire.

MIST
 SPRAYER MODULE /
 Blower Attachment

Type	: Knapsack Mister Attachment
Flow Rate	: 50 micron
Horizontal Spray	: 10 m
Vertical Spray	: 06 m
NW. / G.W (kg)	: 1.45 1.65
Packaging	: 01 PC CTN / 75 × 48 × 62



KNAPSACK ATTACHMENT
 12V BATTERY
 HIGH POWERED MOTOR

SPECIALIZED NOZZLES

Running Time
 The machine can run upto 8 hours on battery power

FU-52H

CE EMC

Model	: FU-52H
Displacement (cc)	: 51
Standard Power	: 2.0/8500 (kw/r/min)
Guide Bar Size (in)	: 24
Weight (kg)	: 5.5

Low emission machine
 Good anti-vibration system

Professional fashion design

Easy-starter

High energy igniter

Auto-open switch

AGRICULTURAL FOGGERS & GARDEN TOOLS

BEST IN CLASS THERMAL FOGGERS EVER IMPROVING
WITH LATEST TECHNOLOGICAL ADVANCEMENTS



Iz 150 as Smoke, Fog, Giant Sterilizer

Operating Power	: 18.9kw / 25.7hp / 16,500 Kcal/h
Chemical Tank	: 6.5 Ltr.
Fuel Tank	: 1.5 Ltr.
Fuel Consumption	: 1.5 Ltr. / HR
Spouting	: 20 Ltr. / HR upto 60 Ltr. / HR
NW. / G.W (kg)	: 8.9 9.2
Packaging / Size	: 01 PC CTN / 1,200 × 220 × 330 mm

1. Double purposes for smoke & fog
2. High performance & Light weight
3. All tanks are manufactured from stainless steel
4. Combustion pipe made out of special stainless alloy excels in resisting heat and erosion
5. Our own making engine excels in power
6. Newly developed our machine proved ultra-particle state through spouting particle size of 5-30 Microns(μ)
7. IZ-150 AS is ideal for use in fogging industrial, public place and residential areas.



Double trouble for Germs

Capable of Fogging with both DIESEL and WATER

Iz 400 VMF

Vehicle Mounted Thermal Fogger

Operating Power	: (2x) 18.9kw / w5.9hp /
Chemical Tank	: 16,500 Kcal / h
Fuel Tank	: 150 Ltr.
Pressure Gauge	: 7 Ltr. × 2
Fuel Consumption	: 2 kg / m ³
Spouting	: 1.5 Ltr. / HR upto 200 Ltr. / HR
NW. / G.W (kg)	: 43 52
Packaging / Size	: 01 PC CTN / 1,450 × 510 × 380 mm



Double barreled large type loaded on vehicle or ship is indispensible & best machine for health care establishments and for sanitization



Double Trouble for Germs
Capable of Fogging with both DIESEL and WATER

Fu 5000

Portable Gas Thermal Fogger

Chemical Tank	: 2 Ltr.
Fuel	: Butane Gas
Ignition	: Piezo Type
Solution Output	: Upto 1.8 Ltr. / HR
Fuel Consumption	: 0.5 Ltr. / HR
Spouting	: 150 Ltr. / HR upto 200 Ltr. / HR
NW. / G.W (kg)	: 1.2 1.7
Packaging / Size	: 05 PC CTN / 456 × 5166 × 368 mm



This fogging exterminator is designed to be used conveniently at any place and at any time to exterminate germs or harmful insects.



Double Tank

The samller white tank is for water to ensure water fogging can be done to eliminate the possibility of clogging

Hedge Trimmer

Front handle using the dip coating processing, has beautiful appearance and comfortable operation.

Easy-starter



Using high quality rubber as shock absorption material, better reduce the labor intensity of the operators

The Operating handle design is fully applied to human body engineering.



FU-600E



Model	: FU-600E
Matched Engine	: 1E34FN
Displacement (cc)	: 25.4
Standard Power	: 0.75/7500 (kw/r/min)
Mixed Fuel Ratio	: 40 :1
Tank Capacity (L)	: 0.65
Method of Starting	: Recoil Starting
Igniting Mode	: No touch of ignition
Weight (n.w/g.w.)/(kg)	: 5.8 / 7.6
Packing Measurement	: 1110 × 260 × 240 mm



Throttle handle is covered by rubber, significantly reducing vibration.

FU-V245



Model	: FU-V245
Matched Engine	: 134F
Displacement (cc)	: 24.5
Standard Power	: 0.5/7000 (kw/r/min)
Form of Carburetor	: Diaphragm
Mixed Fuel Ratio	: Separate
Tank Capacity (L)	: 0.5
Collecting Bag(L)	: 40
Average Air Volume	: 0.17
Weight (n.w/g.w.)/(kg)	: 6.3 / 8.3
Packing Measurement:	: 580 × 355 × 370 mm

Blower



Multifunctional Machine



FU-J430H

CE V A GS EMC

Model	: FU-J430H
Matched Engine	: 1E40F-5GN
Displacement (cc)	: 42.7
Standard Power	: 1.25/7000 (kw/r/min)
Form of Carburetor	: Diaphragm
Mixed Fuel Ratio	: 40 :1
Tank Capacity (L)	: 0.8
Working form	: Shoulder
Diameter of Aluminum	: 26 mm
Weight (n.w/g.w.)/(kg)	: 16.5 /18.5
Packing Measurement	: 1100 × 300 × 300 mm

HOME AND INDUSTRIAL
PEST CONTROL PRODUCTS
INNOVATION THROUGH IMPROVED AND SAFER
MOLECULES AND SMART DESIGN



- Quality - Promise of quality products is our lifetime gurantee to you
- You - What you get is the latest and the best. We test before we mass produce.
- Deserve - You have access to our expanding our offline and online presence across the country.



**Star Glue Trap
(Eco)**

34 X 11 CMS



**Jumbo Combro Glue
Trap**

(15 X 7 CMS) X 2



**Star Glue Trap
(Reg)**

35 X 22 CMS




HIGH GLUE CONTENT IN
EACH PAD. MORE THAN
MARKET STANDARD



ENVIRONMENT
FRIENDLY MATERIAL
USED



SCENTED PADS
ATTRACT RAT AND
MOUSE



Rodent Bait Station (ECO)

34 X 10 X 14 CMS

RAT & MOUSE
BAIT STATION

FULLY METAL
POWDER COATED PAINT



Rodent Bait Station (ULTRA)

34 X 10 X 14 CMS

 SPECIALLY POSITIONED HOLES INCREASES PROBABILITY OF TRAPPING RODENTS

 BOTH KEY & KEYLESS SAFETY LOCK SYSTEMS ACCORDING TO MODEL

 ULTRA HAS GLASS WINDOWS ON FRONT PANEL FOR BETTER VISIBILITY

35 GMS
TUBE


FIPRONIL



TOPBAIT



POSEIDON

35 GMS
TUBE


Hydramethlnon

**ANTI-
ANT & COCKROACH**

GEL TUBES

20 / 40 / 80
GMS


HERBAL



MAGIC



FIPRO ANT

35 GMS
TUBE


FIPRONIL

 SMOOTH INJECTION MECHANISM FOR ALL OUR 35 GMS GEL TUBES

 POWERFUL BAIT ACTION WITH OUR SPECIAL FORMULATIONS

 COLONY CONTAGION EFFECT HELPS TO ERADICATE COLONIES OF INSECTS

Business Enquiries

basix_sr@yahoo.co.in

Dealer :

